



0431d03008-00171
Venus Labs
#911054 X
• Chemical Specialties
• Private Label Manufacturers
• Packers • Consultants
CUST/Tech

5-6-91

Illinois Environmental Protection Agency
2200 Churchill Road
Springfield IL 62794-9276
Mr. Harry A. Chappel
U.S.T. Section
Division of Land Pollution Control

Re: Your correspondence dated 4-23-91
Incident Number 911054
County: DuPage
City: Wood Dale
Site Name: Venus Laboratories, Inc.
Site Address: 855 Lively Boulevard

Dear Mr. Chappel,

As of today, we are not aware of a release of a regulated substance on or off our site. Venus Laboratories, Inc. did not report the above incident #911054. The Office of the State Fire Marshall reported an incident. On 4-3-91, 3,000 pounds of rain water was released into our UST area on the direction of George Pinkowski, of the Office of the State Fire Marshall. Our company representative, John Manolas, requested that the rain water be pumped out of the tanks prior to removal. Mr. Pinkowski did not allow this to occur, he ordered that the rainwater flow into the underground tank cavity as the tanks were lifted and removed.

The rainwater was pumped out of the UST cavity on 4-3-91 as the underground storage tanks were being removed.

Upon receipt of our independent laboratory results regarding the samples taken on 4-3-91, we will know if a release occurred. At the present time, the UST area is dry. And the only release that we are aware of was rainwater, which is not a regulated hazardous substance. Venus Laboratories, Inc. intends to comply with the Illinois and Federal laws. It is our understanding of the law that this is the only information required at this time. If we have failed to understand the law, then please inform us promptly. Thank you for your attention.

Sincerely,

Elli Manolas

RECEIVED

MAY 08 1991

IEPA/DLPC

▼ Midwest Division	855 Lively Blvd., Wood Dale, IL 60191	☎ 1. 708 . 595 . 1900/ 1. 800 . 592 . 1900	FAX: 708 . 595 . 3252
▼ Western Division	15571 Commerce Ln., Huntington Beach, CA 92649	☎ 1. 714 . 891 . 3100/ 1. 800 . 841 . 3100	FAX: 714 . 897 . 2997
▼ SouthEast Division	14810 NW 24th Ct., Opa Locka, FL 33054	☎ 1. 305 . 687 . 7300/ 1. 800 . 771 . 7700	FAX: 305 . 687 . 7500
▼ Eastern Division	15 Harold St. Westwood, NJ 07675	☎ 1. 201 . 666 . 6699/ 1. 800 . 252 . 8850	FAX: 201 . 666 . 9098